

Flexo Print

TL 60W/10-R 1SL

Flexo print TL lamps emit almost all of their light (99.9%) in the useful UVA and visible blue wavebands – between 350 and 400 nm – and have peak intensity at 370 nm (except for the /03 version). This makes them ideal for flexo printing equipment and photopolymerization processes. In addition, the 'R' lamps in the family have an internal 200-degree reflector to further optimize the lamp's overall efficiency.

Product data

• General Characteristics

G13
Т38
Reprography
1000 hr

• Light Technical Characteristics

Color Code Color Designation	10-R Ultra Violet A
(text) Chromaticity Coor- dinate X	222 -
Chromaticity Coor- dinate Y	210 -
Depreciation 500 hours	10 %
Depreciation 1000 hours	15 %
Depreciation 2000 hours	30 %

• Electrical Characteristics

Lamp Wattage	60 W
Lamp Wattage Tech-	62 W
nical Lamp Voltage Lamp Current	102 V 0.7 A

• Environmental Characteristics

Mercury (Hg)	13.0 mg
Content	

• UV-related Characteristics

UV-A Radiation	15.8 W
100hr (IEC)	
UV-B/UV-A (IEC)	0.1 %

• Product Dimensions

Base Face to Base Face A Insertion Length B Overall Length C Diameter D 1199.4 (max) mm

1204.1 (min), 1206.5 (max) mm 1213.6 (max) mm 40.5 (max) mm


• Product Data

Order code	9
Full product code	9
Full product name	
Order product name	
Pieces per pack	1
Packing configuration	2
Packs per outerbox	2
Bar code on pack -	8
EAN1	
Bar code on	8
outerbox - EAN3	
Logistic code(s) -	9
12NC	
Net weight per piece	2

928008401003 928008401003 TL 60VV/10-R SLV TL 60VV/10-R SLV/25 1 25 8711500615725 8711500615732 928008401003 260.200 gr



Dimensional drawing




TL 60W/10-R 1SL	10-R 1SL
-----------------	----------

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 60W/10-R	1199.4	1204.1	1206.5	1213.6	40.5



G13

Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting