



Flexo Print

TL 80W/10-R SLV

Flexo print TL lamps emit almost all of their light (99.9%) in the useful UVA and visible blue wavebands – between 350 and 400 nm – and have peak intensity at 370 nm (except for the /03 version). This makes them ideal for flexo printing equipment and photopolymerization processes. In addition, the 'R' lamps in the family have an internal 200-degree reflector to further optimize the lamp's overall efficiency.

PHILIPS

Product data

• General Characteristics

Cap-Base	G13
Bulb	T38
Main Application	Reprography
Useful Life	1000 hr
Life to 50% failures	1000 hr
EM	

• Light Technical Characteristics

Color Code	10-R
Color Designation (text)	Ultra Violet A
Chromaticity Coordinate X	222 -
Chromaticity Coordinate Y	210 -
Depreciation 500 hours	10 %
Depreciation 1000 hours	15 %
Depreciation 2000 hours	30 %

• Electrical Characteristics

Lamp Wattage	80 W
Lamp Wattage Technical	80 W
Lamp Voltage	110 V
Lamp Current	0.83 A

• Environmental Characteristics

Mercury (Hg) Content	13.0 mg
----------------------	---------

• UV-related Characteristics

UV-A Radiation 100hr (IEC)	20.5 W
UV-B/UV-A (IEC)	0.1 %


• Product Dimensions

Base Face to Base Face A	1500 (max) mm
Insertion Length B	1504.7 (min), 1507.1 (max) mm
Overall Length C	1514.2 (max) mm
Diameter D	40.5 (max) mm

• Product Data

Order code	928005901029
Full product code	928005901029
Full product name	TL 80W/10-R SLV
Order product name	TL 80W/10-R SLV/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500612625
Bar code on outerbox - EAN3	8711500612632
Logistic code(s) - 12NC	928005901029
Net weight per piece	331.000 gr


Dimensional drawing



TL 80W/10-R SLV


Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 80W/10-R	1500	1504.7	1507.1	1514.2	40.5

Dimensional drawing



G13

Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, April 11
data subject to change