

UV-B Narrowband TL

TL 20W/01 RS SLV

More than 400 independent clinical studies have proven that the UVB Narrowband TL lamps are safer and more effective than any other lamps in their class. That is because these lamps emit only a very narrow waveband from the 'B' bandwidth of the UV spectrum (290 to 315). This narrow waveband is between 305 and 315 nm and peaks at 311 nm: the most efficacious waveband for the treatment of psoriasis. This means that treatment is much more focused and exposure times are much shorter. This in turn leads to a reduction of side effects such as reddening of the skin and itching. All of this makes them ideal for phototherapy treatment of diseases such as psoriasis, parapsoriasis, vitiligo, atopic dermatitis, and mycosis fungoides. What's more, because the overall dosage of this narrowband radiation can be closely controlled, these lamps are suitable for home therapy.

Product data

• General Characteristics

System Description Rapid Start Cap-Base G13 Bulb T38

Medical Therapy Main Application Life to 50% failures 9000 hr

EM

• Electrical Characteristics

Lamp Wattage 20 W Lamp Wattage Tech-19.3 W nical

Lamp Voltage 59 V 0.37 A Lamp Current

• Light Technical Characteristics

Color Code Color Designation Ultra Violet B (text)

Chromaticity Coor-

208 dinate X Chromaticity Coor-192 -

dinate Y Depreciation 500 10 % hours Depreciation 1000 15 %

hours

• UV-related Characteristics

UV-B Radiation 1.9 W 100hr (IEC) UV-B Radiation 5hr 3.0 W (IEC)

• Product Dimensions

Base Face to Base 589.8 (max) mm Face A Insertion Length B 594.5 (min), 596.9 (max) mm

Overall Length C 604 (max) mm Diameter D 40.5 (max) mm

• Product Data

Order code 928010000101 Full product code 928010000101 Full product name TL 20W/01 RS SLV TL 20W/01 RS SLV/25 Order product name

Pieces per pack Packing configuration 25 Packs per outerbox 8711500639745 Bar code on pack -

EAN1 Bar code on 8711500639752

outerbox - EAN3 928010000101 Logistic code(s) -

12NC

142.800 gr Net weight per piece



UV-B Narrowband TL

Dimensional drawing







TL G13

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 20W/01 RS	589.8	594.5	596.9	604	40.5

UV-B Narrowband TL

Photometric data







Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.