

Halogen reflector

13164 200W GX5.3 24V 1CT

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 - the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.

Product data

• General Characteristics

Philips Code	13164
ANSI Code	EJL
LIF Code	A1/252
Cap-Base	GX5.3
Bulb Material	Quartz-UV Open
Reflector Finish	Smooth
Operating Position	s90
Main Application	Projection
Main Application	Projection
Life to 50% failures	50 hr

• Electrical Characteristics

Lamp Wattage	200 W
Voltage	24 V

• Light Technical Characteristics

Color Rendering	100 Ra8
Index	
Color Temperature	3400 K
Technical	

• Product Dimensions

Overall Length C 44.45 (max) mm Diameter D

• Luminaire Design Requirements

Pinch Temperature Bulb Temperature Working Distance WD

• Product Data

Order code Full product code	923921120594 923921120594
Full product name Order product name	13164 200W GX5.3 24V 1CT 13164 200W GX5.3 24V 1CT/24
Pieces per pack	1
Packing configuration	24
Packs per outerbox	24
Bar code on pack - EAN1	8711500410580
Bar code on outerbox - EAN3	8711500419026
Logistic code(s) - 12NC	923921120594
Net weight per piece	25.000 gr

50.67 (max) mm


400 (max) C

900 (max) C

32 mm



Dimensional drawing





GX5.3, GY5.3, GZ6.35

Product	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)
13164 200W GX5.3 24V	44.45	50.67	-	-	-



 $\ensuremath{\mathbb{C}}$ 2011 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting