
66240

XENARC ORIGINAL | Gas discharge headlight lamps for cars

Areas of application

- Headlight



Product benefits

- OEM Quality
- Wide product range
- Reliable quality
- 4 year guarantee

Product features

- Original spare parts

Product datasheet

Technical data


Electrical data

Power input	35 W
Nominal wattage	35.00 W
Nominal voltage	85 V
Power input tolerance	±3 %
Test voltage	13.5 V

Photometrical data

Color temperature	4300 K
Luminous flux	3200 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	77.0 mm
Diameter	9.0 mm
Product weight	16.00 g

Lifespan

Lifespan B3	2000 h
Lifespan Tc	3000 h

Additional product data

Base (standard designation)	P32d-2
-----------------------------	--------

Certificates & standards

ECE category	D2S ¹⁾
Approval marks – approval	GOST

Product datasheet

1) To be operated only with approved electronic control gear

Country specific categorizations

Order reference	66240 35W P32D-
------------------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321184573	OSRA66240	-	-	-

Product datasheet

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321184573	66240	Folding carton box 1	87 mm x 33 mm x 33 mm	0.09 dm ³	32.00 g
4008321184580	66240	Shipping carton box 10	186 mm x 96 mm x 79 mm	1.41 dm ³	307.87 g
4008321651747	66240	Folding carton box 2	69 mm x 36 mm x 90 mm	0.22 dm ³	60.00 g
4008321651754	66240	Shipping carton box 10	194 mm x 81 mm x 107 mm	1.68 dm ³	348.00 g
4052899075443	66240	Folding carton box 1	- x - x -		
4052899075450	66240	Shipping carton box 10	186 mm x 76 mm x 93 mm	1.31 dm ³	307.00 g
4052899075467	66240	Shipping carton box 270	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

▶ www.osram.com/am-guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.