



CorePro LEDspot MV

Corepro LEDspot 2.7-25W GU10 830 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data


General Information		Electrical	
Cap-Base	GU10 [GU10]	Power (Rated) (Nom)	3.1 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	29 mA
Switching Cycle	50000X	Wattage Equivalent	25 W
Technical Type	3.1-25W	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	36 °		
Luminous Flux (Nom)	225 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	225 lm	Dimmable	No
Luminous Intensity (Nom)	490 cd		
Color Designation	White (WH)	Approval and Application	
Rated Beam Angle	36 °	Suitable For Accent Lighting	Yes
Correlated Color Temperature (Nom)	3000 K	Energy Efficiency Label (EEL)	A++
Luminous Efficacy (Rated) (Nom)	72.58 lm/W	Energy Consumption kWh/1000 h	4 kWh
Color Consistency	<6		
Color Rendering Index (Nom)	80	Product Data	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Full product code	871869672829100
Luminous Flux in 90° Cone (Rated)	225 lm	Order product name	Corepro LEDspot 2.7-25W GU10 830 36D
Operating and Electrical		EAN/UPC - Product	8718696728291
Input Frequency	50 to 60 Hz		

CorePro LEDspot MV

Order code	929001217602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001217602

Net Weight (Piece)	0.038 kg
--------------------	----------



Dimensional drawing




GU10 230V 4W-35W 260lm 36D 3000K GU10 ND

Product	D	C
Corepro LEDspot 3.1-25W GU10 830 36D	50 mm	54 mm

Photometric data





GU10 230V 4W-35W 260lm 36D 3000K GU10 ND



CorePro LEDspotMV 25W GU10 830 36D

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND

CLA LEDspotMV 50W GU10 827 36D ND

